SPEFICIATION OF DIESAL GEN SET 100 KVA 6 CYL WITH AMF PANEL

SPEFICIATION OF DIESAL GEN SET 100	
Nomen	clature
Ser	
A1	80
Technical Specification 1. Power Rating (kW)	173.9
- I (Amns)	3
	0.8
	3225X100X1568
Power Factor Canopy Dimension(mm) (LxWxH) Canopy Dimension (mm) (LxWxH) with	3225X100X2035
- I a savi i imperisioni (iii /	101
	2200
Cot Dry Weight (Ngs)	-10412P\V
Engine Specification	4B5D1C113RW
1. Engine Model	11(1535)
	TOC
2 Aspiration	Liquid cooled
Cooling System	12 Volt electrical
5. Starting System	Mechanical
Governing	4
- No of Cylinders	107X126
Dara V Stroke (IIIII)	4.5
amont (I lifes)	20.8
Fuel Cons (a) /5% load	1500
Engine Speed (IPIII)	17:5:1
-alon Ralli	300 15W4004
Tank Canacity (Elder)	
13. Fuel Falls Capacity (Litres)	8.0
	17.8
	17.0
Total coolant capacity (=	Brushless
Alternator Specification	415
1. Type	1500 RPM/50HZ
2. Voltage	+/-1%
Speed/Frequency	IP 26
/ Voltage Regulation	Class H
5. Enclosure	
Class of Insulation Class of Insulation	n Copper
6. Class of Insulation Installation Accessories Specificatio 1. Chemical earthings	200 AMP
1. Chemical caramo	
1-tion for ING OCC	185 sq mm
to the cable 35 cole	70 sq mm
- trackle 4 core	2.5 sq mm
ting accessories, as	eqd
7. Connecting access	

MOTICE ARMY PUBLIC SCHOOL, SAMBA Email ID apssamba@awesindia.edu.in, Ph 9419267483

- Principal, APS Samba on behalf of Chairman hereby invites Technical and Financial bids in a sealed envelopes (Bids to be placed separately) from reputed vendors for purchase of Diesel Gen Set 100 KVA 6 cylinder with AMF Panel as per specification mentioned in school website www.apssamba.co.in.
- 2. Bids duly signed by the vendor with firm's rubber stamp and accompanied with copies of Firm Registration Certificate, GST Registration Certificate, Tax clearance certificate and PAN/TAN may be dropped in quotation box at APS Samba latest by 22 Jul 2023. All documents to be self attested. Rates quoted should be inclusive of all taxes, installation and delivery charges.

(PRINCIPAL)